Appendix M

References

- Agee, J.K. 1993. Fire ecology of Pacific Northwest forest. Island Press, Washington, D.C. 493 p.
- Agee, James K. 1996. Fire regimes and approaches for determining fire history. In: Hardy, Colin C. Arno, Stephen F., eds. The use of fire in forest restoration. Gen. Tech. Rep. INT-341. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT: 12-13.
- Ames, BN. 1993. Dietary carcinogens and anticarginogens. Science 221:1256-1264
- Anderson, B.; Potts, D.F. 1987. Suspended sediment and turbidity following road construction and logging in western Montana. Water Resources Bulletin. 23(4): 681-690.
- Anderson, J.E.; Romme, W.H.; Meyer, G.; Knight, D.H.; Wallace, L. 1999. Yellowstone fires. Science. 283: 175-176.
- Anderson, H.W. 1954. Suspended sediment discharge as related to streamflow, topography, soil, and land use. Transmission of the American Geophysical Union. 35(2): 268-281.
- Arno, S.F. 1980. Forest fire history in the Northern Rockies. Journal of Forestry. 78: 460-465.
- Arno, Stephen F.; Davis, Dan H. 1980. Fire history of western redcedar/hemlock forests in northern Idaho. In: Stokes, Marvin A.; Dietrich, John, H., tech. coords. Proceedings of the fire history workshop. October 20-24, 1980, Tucson, Arizona. Gen. Tech. Rep. RM-81. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO: 21-26.
- Arnold S.F., D.M. Klotz, B.M. Collins, P.M. Vonier, L.J. Guillette Jr., and J.A. McLachlan. 1996. Synergistic activation of estrogen receptor with combinations of environmental chemicals. Science 272: 1489-1492.
- Atkins, David; Byler, James; Livingston, Ladd; Rogers, Paul; Bennett, Dayle. 1999. Health of Idaho's forests. Forest Health Protection Report No. 99-4. U.S. Department of Agriculture, Forest Service, Northern Region, Missoula, MT. 33p.
- Bacon, Charles R. 1982. Eruptive history of Mount Mazama and Crater Lake Caldera, Cascade Range, U.S.A. Journal of Volcanology and Geothermal Research. 18: 57-155.
- Baham, John; Simonson, G.H. 1985. Classification of soils with andic properties from the Oregon coast. Soil Science Society of America Journal. 49: 777-780.
- Bailey, Robert G., comp. 1995. Descriptions of the ecoregions of the United States. 2nd ed. Misc. Publ. No. 1391. U.S. Department of Agriculture, Forest Service,

- Washington, D.C. 108p.
- Bailey, Robert G. 1998. Ecoregions: The ecosystem geography of the oceans and continents. Springer-Velag, New York. 176p.
- Balling, Robert C.; Meyer, Grant A.; Wells, Stephen G. 1992. Relation of surface climate and burned area in Yellowstone National Park. Agricultural and Forest Meteorology. 60: 285-293.
- Baltz, D.M., B. Vondracek, L.R. Brown, and P.B. Moyle. 1991. Seasonal changes in microhabitat selection by rainbow trout in a small stream. Transaction of the American Fisheries Society 120:2:166-176.
- Barrett, Stephen W.; Arno, Stephen F.; Menakis, James P. 1997. Fire episodes in the Inland Northwest (1540-1940) based on fire history data. Gen. Tech. Rep. INT-370. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT. 17p.
- Bechinski, E.J., R.L. Mahler, and H.W. Homan. 1992. The role of Integrated Pest Management. Current Information Series No. 938. University of Idaho College of Agriculture Cooperative Extension System. Moscow, Idaho.
- Belcher, J.W. and S.D. Wilson. 1989. Leafy spurge and the species composition of a mixed-grass prairie. Journal of Range Management 42(2):172-175.Benda, Lee; Dunne, Thomas. 1997. Stochastic forcing of sediment supply to channel networks from landsliding and debris flow. Water Resources Research. 33(12): 2849-2863.
- Benda, Lee; Veldhuisen, Curt; Miller, Dan; Miller, Lynne Rodgers. 1998. Sbpe instability and forest land managers, A primer and field guide. Earth Systems Institute, Seattle, WA. 84p.
- Berger, Glenn W.; Busacca, Alan J. 1995. Thermoluminescence dating of late Pleistocene loess and tephra from eastern Washington and southern Oregon and implications for the eruptive history of Mount St. Helens. Journal of Geophysical Research. 100(B11): 22,361-22,374.
- Bingham, R.T. 1983. Blister rust resistant western white for the Inland Empire: The story of the first 25 years of the research and development program. Gen. Tech. Rep. INT-146. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. 45 p.
- Bonzagni, Donna. 2001. Email. Query results comparing TSMRS and ARC acres at Powell.Clearwater National Forest.
- Brady, Nyle C. 1990. The nature and properties of soils. Macmillan Publishing Company, New York. 621p.
- Brown, G.W., and J.T. Krygier. 1970. Effects of Clearcutting on stream temperatures. Water Resources Research 6(4):1133-1140.
- Brown, G.W. et al. 1971. Water temperature in the Steamboat Drainage. USDA Forest Service Research Paper PNW-119.

- Brown, G.W. 1985. Forestry and Water Quality. Oregon State University. Corvallis, Oregon.
- Bugosh, Nicholas. 1999. Lochsa Subbasin Assessment. Idaho Division of Environmental Quality. Lewiston, Idaho.
- Bull, et al. 1997. Trees and logs important to wildlife in the interior Columbia River basin.
- Burroughs, Edward R. Jr.; Thomas, Byron R. 1977. Declining root strength in Douglasfir after felling as a factor in slope stability. Res. Pap. INT-190. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. 21p.
- Burroughs and King. 1989. Reduction of Soil Erosion on Forest Roads. USDA Forest Service. Intermountain Research Station, GTR-INT 264
- Bursik, Robert J. and Robert K. Moseley. 1995. Ecosystem Conservation Strategy for Idaho Panhandle Peatlands. Idaho Department of Fish and Game. Boise, Idaho.Busacca, Alan J. 1991. Loess deposits and soils of the Palouse and vicinity. In: Morrison Roger B., ed. Quaternary nonglacial geology: Conterminous U.S. Geological Society of America, The Geology of North America, v. K-2, Boulder, CO: 216-228.
- Busacca, Alan J. 1999. (Personal communication). June 10. Pullman, WA: Department of Crop and Soil Sciences, Washington State University.
- Busacca, Alan J.; Nelstead, Kevin T.; McDonald, Eric V.; Purser, Michael D. 1992. Correlation of distal tephra layers in loess in the Channeled Scabland and Palouse of Washington State. Quaternary Research. 37: 281-303.
- Buskirk and Ruggerio. Date unknown. American marten.
- Butterfield and Almack. 1985. Evaluation of grizzly bear habitat in the Selway-Bitterroot Wilderness Area.
- Callihan, R.H., F.E. Northam, J.B. Johnson, E.L. Michalson and T.S. Prather. 1989. Yellow starthistle biology and management in pasture and rangeland. Current Information Series No. 634. University of Idaho College of Agriculture Cooperative Extension Service. Moscow, Idaho.Cassier, et al. 1994. Coeur d'Alene salamander conservaiton assessment.
- Callihan, R.H., D.C. Thill, and D.W. Wattenbarger. 1989. Hawkweeds. Current Information Series No. 633. University of Idaho College of Agriculture Cooperative Extension Service. Moscow, Idaho. Cassier and Groves. 1991. Harlequin duck ecology in Idaho: 1987-1990.
- Callihan, R.H., J.P. McCaffrey, and V.J. Parker-Clark. 1991. Leafy spurge biology and management. Current Information Series No. 877. University of Idaho College of Agriculture Cooperative Extension System. Moscow, Idaho.
- Callihan, Robert H. and Timothy W. Miller. 1997. Idaho's Noxious Weeds. Noxious Weed Advisory Council, Idaho Department of Agriculture. Boise, Idaho. 74

- pages.
- Campbell, D.L., J. Evans, G.D. Lindsey, and W.E. Dusenberry. 1981. Acceptance by black-tailed deer of foliage treated with herbicides. Research Paper PNW-290. USDA Forest Service. Pacific Northwest Forest and Range Experiment Station. Portland, Oregon.
- Cassirer, E.F and C.R Groves. 1993. Conservation Assessment for the Coeur D'alene Salamander *Plethodon Idhoensis*. U.S.D.A Forest Service. Region 1.
- Caswell, Jim. 1995. Interim direction for Section 7 consultations in the Bitterroot Ecosystem. Clearwater National Forest Supervisor, December 4, 1995.
- Chatwin, S.C.; Howes, D.E.; Schwab, J.W.; Swanston, D.N. 1994. A guide for management of landslide-prone terrain in the Pacific Northwest. Land Management Handbook Number 18: Research Branch, Ministry of Forests. Victoria, B.C. 220p.
- Church, Michael; Slaymaker, Olav. 1989. Disequilibrium of Holocene sediment yield in glaciated British Columbia. Nature. 337: 452-454.
- Clearwater Biostudies. 1993. Bimerick Creek Stream Survey.
- Clearwater National Forest. 2001. North Lochsa Face Supplemental Environmental Impact Statement, Management Indicator Species and Threatened and Endangered Species wildlife and plants resources status report. 2001.
- Cook, Kevin J. 1991. Wildlife and weeds. Colorado Outdoors. May/June 1991. pp. 10-
- Costa, John E. 1984. Physical geomorphology of debris flows. In: Costa, John E., Fleisher, P. Jay, eds. Developments and applications of geomorphology. Springer-Verlag, Berlin, New York. Chapter 9.
- Cousens, Roger and Martin Mortimer. 1995. Dynamics of Weed Populations. Cambridge University Press. Cambridge, Great Britain. Chapter 2, pp. 21-54.
- Covington, W. Wallace; Everett, Richard, L.; Steele, Robert; Irwin, Larry L.; Daer, Tom A.; Auclair, Allan N.D. 1994. Historical and anticipated changes in forest ecosystems of the Inland West of the United States. In: Sampson, R. Neil; Adams, David L., eds. Assessing forest ecosystem health in the Inland West. Food Products Press, Binghampton, NY: 13-63.
- Cross, P.D. 1992. Status of Bull Trout on the Idaho Panhandle National Forests. USDA. Forest Service, Coeur D'alene, Idaho.
- Crouch. E.A.C., R.Wilson, and L. Zeise. 1983. The risk of drinking water, Water Resources 19:1359-1375.
- Daniels, Raymond B.; Hammer, Richard D. Soil geomorphology. John Wiley and Sons, New York. 236p.
- Day, Norman F.; Megahan, Walter F. 1977. Landslide occurrence on the Clearwater National Forest, 1974-1976. Unpublished paper on file at: U.S. Department of

- Agriculture, Forest Service, Clearwater National Forest, Orofino, ID. 13p.
- Debano, Leonard F. 1968. Observations on water-repellent soils in western United States. In: Debano, Leonard F.; Letey, John., eds. Water-repellent soils: Proceedings of the symposium on water-repellent soils held at the University of California, Riverside, May 6-10, 1968. University of California, Riverside: 17-29.
- Dietrich, William E.; Reiss, Robert; Hsu, Mei-Ling; Montgomery, David R. 1995. A process-based model for colluvial soil depth and shallow landsliding using digital elevation data. Hydrological Processes. 9:383-400.
- Dietrich, William E.; Wilson, Cathy J.; Montgomery, David R.; Mckean, James; Bauer, Romy. 1992. Erosion thresholds and land surface morphology. Geology. 20:675-679.
- DeGraff, R.M., V.E. Scott, R.H Hamre, L. Ernst, S.H Anderson. 1991. Forest and Rangeland Birds of the United States Natural History and Habitat Use. USDA Forest Service. Agricultural Handboook 688.
- Dobkin, D.S. 1994. Conservation and management of neotropical migrant landbirds in the Northern Rockies and Great Plains. Univ. of Idaho Press, Moscow, ID.
- Dow Chemical Company. 1986. Chemistry, environmental, and toxicology profiles of clopyralid herbicide. Dow Agricultural Products. Midland, Michigan.
- Edson, E.F. and D.M. Sanderson. 1965. Toxicity of the herbicides 2-methoxy-3, 6-dichlorobenzoic acid (dicamba) and 2-methoxy-3, 5, 6-trichlorobenzoic acid (tricamba). Food Cosmet. Toxicol. 3-299-304.
- Embry, Robert S. 1981. Predicting annual low and peak flows on the Idaho Panhandle National Forests. U.S. Forest Service, Idaho Panhandle National Forests, Coeur d'Alene, Idaho. Unpublished.
- Espinosa, Al. 1992. DFC Fisheries Model and Analysis Procedures. Clearwater National Forest. Orofino, Idaho.
- Estill. 1996. NEPA Streamlining, May 24, 1996.
- Everett, R.L., comp. 1994. Restoration of stressed sites and processes. General Technical Report PNW-GTR_330. Portland, Oregon. USDA Forest Service Pacific Northwest Research Station.
- Fiedler, Carl E. 1996. Silvicultural applications: Restoring ecological structure and process in ponderosa pine forests. In: Hardy, Colin C. Arno, Stephen F., eds. The use of fire in forest restoration. Gen. Tech. Rep. INT-341. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT: 39-40.
- Fiedler, Carl E.; Keegan, Charles E.; Arno, Stephen F. 1997. Utilization as a component of restoring ecological processes in ponderosa pine forests. In: Barbour, R.J.; Skog K.E., eds. Role of wood production in ecosystem management. Gen. Tech. Rep. FPL-GTR-100. U.S. Department of Agriculture, Forest Service, Forest products Laboratory, Madison, WI: 24-29.

- Foltz, Meg. 1998. Average Sediment Production by LTA. Unpublished. Clearwater National Forest.
- Fosberg, M. A.; Falen, A.L.; Jones, J.P.; Singh, B.B. 1979. Physical, chemical, and mineralogical characteristics of soils from volcanic ash in northern Idaho: I. Morphology and genesis. Soil Science Society of America Journal. 43: 541- 547.
- Fosberg, Maynard A.; Moody, Ula L; Falen, Anita L.; Eisinger, Debra L.; Clayton, James. 1982. Physical, chemical, and mineralogical studies of tephra deposited on forested lands-Northern Idaho and western Montana. Final report for Contract No. INT-80-119-CA submitted to U.S. Department of Agriculture, Forest Service, Boise, ID. 216p.
- Frederick, G.P. 1991. Effects of Forest Roads on Grizzly Bear, Elk, and Gray Wolves: A literature Review. USDA Forest Service, Kootenai National Forest, Libby, Mt.
- Fryxell, Roald. 1965. Mazama and Glacier Peak volcanic ash layers: Relative ages. Science. 147: 1288-1290.
- Gerhardt, Nick. 2000. Email message about Relief Creek Road Obliteration.
- Graham. J.D. Harvard University, School of Public Health. Personal letter to Dr. Richard Stuckey, February 1, 1990 re 2-4-D cancer risk to humans.
- Graham, Russell T. 1994. Silviculture, fire, and ecosystem management. In: Sampson, R. Neil; Adams, David L., eds. Assessing forest ecosystem health in the Inland West. Food Products Press, Binghampton, NY: 339-351.
- Graham, Russell, T.; Harvey, Alan E.; Jurgensen, Martin F.; Jain, Theresa B.; Tonn, Jonalea R.; Page-Dumroese, Deborah S. 1994. Managing coarse woody debris in forests of the Rocky Mountains. Res. Pap. INT-RP-477. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT. 12p.
- Gratson and Whitman. 1997. The effects of road closures on elk mortality in north-central Idaho.
- Gratson and Whitman. 2000. Road closures and density and success of elk hunters in Idaho.
- Green, Pat. 1999a. 1995-1997 landslide occurrence: Selway River subbasin (Nez Perce portion only). Unpublished report on file at: U.S. Department of Agriculture, Forest Service, Nez Perce National Forest, Supervisor's Office, Grangeville, ID.
- Green, Pat. 1999b. (Personal communication). May 27. Grangeville, ID: U.S. Department of Agriculture, Forest Service, Nez Perce National Forest, Supervisor's Office.
- Gresswell, Stuart; Heller, David; Swanston, Douglas N. 1979. Mass movement response to forest management in the central Oregon coast ranges. Resour. Bull. PNW-84. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. 26p.
- Groves, C. 1987. Distribution of the wolverine (*Gulo gulo*) in Idaho. Idaho Natural

- Heritage Program, Non-game program, Idaho Department of Fish and Game.
- Guidelines for Coordinated Management of Noxious Weeds in the Greater Yellowstone Area. 1990. GYA Memorandum of Understanding.
- Hack, J.T.; Goodlett, J.C. 1960. Geomorphology and forest ecology of a mountain region in the central Appalachians. U.S. Geological Survey Professional Paper 347. 66p.
- Hall, D.E.; Long, M.T.; Remboldt, M.D., eds. 1994. Slope stability reference guide for national forests in the United States. EM-7170-13. U.S. Department of Agriculture, Forest Service, Engineering Staff, Washington, D.C. 1091p.
- Halvorson, Jonathon J.; Smith, Jeffrey L.; Papendick, R.I. 1997. Issues of scale for evaluating soil quality. Journal of Soil and Water Conservation. 52: 26-30.
- Hammond, Carol; Hall, David; Miller, Stanley; Swetik, Paul. 1992. Level I Stability
 Analysis (LISA) documentation for version 2.0. Gen. Tech. Rep. INT-285. U.S.
 Department of Agriculture, Forest Service, Intermountain Research Station,
 Ogden, UT. 190p.
- Hansen, J. 1986. Wolves of Northern Idaho and Northeastern Washington. Mt. Coop. Wildlf. Res. Unit. U.S Fish & Wildlife Service, 88 pp.
- Hayward, G.D. 1989. Boreal Owl Habitat Relationships. A Report to Region 1, U.S Forest Service.
- Heimsath, Arjun M.; Dietrich, William E.; Nishlizumi, Kunihiko; Finkel; Robert C. 1997. The soil production function and landscape equilibrium. Nature. 388: 358-361.
- Heinemeyer, K.S, and J.L Jones. 1994. Fisher Biology and management: a literature review and adaptive management strategy. USDA Forest Service, Northern Region, Missoula Mt. 108 pp.
- Hickman, T., and R.F. Raleigh. 1982. Habitat suitability index models: cutthroat trout. USDI Fish and Wildlife Service, FWS/OBS-82/10.5. WELUT. Fort Collins, Colorado. 38 pages.
- Hicks, Brendan J.; Beschta, Robert L.; Harr, R. Dennis. 1991. Long-term changes in streamflow following logging in western Oregon and associated fisheries implications. Water Resources Bulletin. 27(2): 217-226.
- Hirsch, Steven A. and Jay A. Leitch. 1996. The Impact of Knapweed on Montana's Economy. Agriculture Economics Report No. 355. North Dakota State University Department of Agricultural Economics. Fargo, North Dakota. p.16.
- Hobbs, Richard J. and Stella E. Humphries. 1995. An Integrated Approach to the Ecology and Management of Plant Invasions. Conservation Biology 9:4:761-770.
- Hornocker, M.G. and H.S Hash. 1981. Ecology of the wolverine in northwestern Montana. Can. J Zool. 59:1286-1301.
- Hunter, M. Jr. 1990. Wildlife, forests, and forestry: Principles of managing forests for

- biological diversity. Prentice-Hall, Inc., Englewood Cliffs, New Jersey.
- ICDC. 1999. Idaho Conservation Data Center, Rare Plant Records and GIS data, Idaho Department of Fish & Game. Boise, Idaho.
- Idaho Department of Fish and Game; Nez Perce Tribe; Sawtooth National Forest 1995. (Draft) Forest Carnivores in Idaho; Habitat Conservation Assessments (HCA's) and Conservation Strategies (CS's). The Idaho State Conservation Effort.
- Idaho Department of Lands. 1992. Rules and Regulations: Idaho Forest Practices Act, Title 38, Chapter 13, Idaho Code. Boise, Idaho.
- Idaho Forest Practices Act. 1998.
- Irwin and Peek. 1983. Elk habitat use relative to forest succession in Idaho.
- Jageman. 1984. White-tailed deer management guidelines.
- Jenny, Hans. 1941. Factors of soil formation, A system of quantitative pedology. McGraw-Hill Book Company, New York. 281p.
- Johnson-Maynard, J.L.; McDaniel, P.A.; Ferguson, D.E.; Falen, A.L. 1997. Chemical and mineralogical conversion of andisols following invasion by bracken fern. Soil Science Society of America Journal. 61(2): 549-555.
- Jones, J.A.; Grant, G.E. 1996. Peak flow responses to clear-cutting and roads in small and large basins, western Cascades, Oregon Water Resource Research. 32(4): 959-974.
- Jones, Jeffry L. 1990. Habitat use of Fisher in North-Central Idaho, Unpublished thesis. University of Idaho, Moscow, Idaho.
- Jones, R. 1998. 1998 Clearwater National Forest Monitoring Report.
- Jones, R. 2000. Email message about BMP effectiveness.
- Jones, R. 2000. 2000 Best Management Practices Audit Report.
- Jones, R. and Jim Mital. 2001. Erosional Processes and Management Practices on the Clearwater National Forest. Draft. Clearwater National Forest. Orofino, Id.
- Judson, Sheldon; Ritter, Dale F. 1964. Rates of regional denudation in the United States. Journal of Geophysical Research. 69(16): 3395-3401.
- Kaiser, Jocelyn. 1996. New yeast study finds strength in numbers. Science 272:1418.
- King, Anthony W. 1993. Considerations of scale and hierarchy. In: Woodley, Stephen; Kay, James; Francis, George, eds. Ecological integrity and the management of ecosystems. St. Lucie Press, Boca Raton, FL: 19-45.
- Klarich, Robert. 1997. Personal communication between Robert Klarich, Bonners Ferry Ranger District weed management specialist, and Gary Harris regarding the use of mixtures of herbicides.
- KlemeÜ, V. 1989. The improbable probabilities of extreme floods and droughts. In: Starosolszky, O.; Melder, O.M., eds. Hydrology of disasters: Proceedings of the

- technical conference in Geneva organized by the World Meteorological Organization, November 1988. James and James, London: 43-51.
- Krammes, Jay S. 1960. Erosion from mountain side slopes after fire in southern California. Res. Note. No. 171. U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station, Berkeley, CA. 8p.
- Lacey, C.A., J.R. Lacey, P.K, Fay, J.M. Story and D.L. Zamora. 1995. Controlling knapweed on Montana rangeland. Circular 311. Extension Service, Montana State University. Bozeman, Montana.
- Lacey, J.R., C.B. Marlow, and J.R. Lane. 1989. Influence of spotted knapweed (*Centaurea maculosa*) on surface runoff and sediment yield. Weed Technology 3:627-631.
- Leege. 1969. Burning seral brush ranges for big game in northern Idaho.
- Leege, T.A. 1984. Guideline for Evaluating and Managing Summer Elk Habitat in Northern Idaho. Wildlife Bulletin No. 11, Idaho Department of Fish and Game.
- Leege and Hickey. 1977. Elk-snow-habitat relationships in the Pete King drainage, Idaho.
- Leopold, Luna B.; Wolman, M. Gordon; Miller, John P. 1964. Fluvial processes in geomorphology. W.H. Freeman and Company, San Francisco. 522p.
- Lewis, G.C.; Fosberg, M.A.; Falen, A.L.; Miller, B.J. 1984. Identification of loess by particle size distribution using the Coulter Counter TA II. Soil Science. 137:172-176.
- Losensky, J.B. 1987. An evaluation of noxious weeds on the Lolo, Bitterroot, and Flathead Forests with recommendations for implementing a weed control program. Lolo National Forest. Missoula, Mt.
- Loveland Industries 1997. Technical Bulletin- Aquatic Toxicity of Surfacants Applied with Rodeo.
- Luce, Charles H. 1992. Topics In Sediment Modeling. From, National Hydrology Workshop Proceedings. Phoenix, AZ.
- Lyon, L. Jack.; Christensen, Alan G. 1992. A partial glossary of elk management terms. Gen. Tech. Rep. INT-288, Ogden, UT: U.S.D.A, Forest Service, Intermountain Research Station.
- MacDonald, L.H. 1989. Cumulative watershed effects: the implication of scale. Paper presented at the 1989 Fall meetings of the American Geophysical Union, San Francisco, CA.
- Mann, Michael E.; Bradley, Raymond S.; Hughes, Malcolm K. 1998. Global-scale temperature patterns and climate forcing over the past six centuries. Nature. 392: 779-787.
- Mayer, F.L. and M.R. Ellersieck. 1986. Manual of acute toxicity: interpretation and data base for 410 chemicals and 66 species of freshwater animals. Resource

- publication 160, U.S. Department of the Interior. Fish and Wildlife Service. Washington, D.C.
- McClelland, Douglas E.; Foltz, Randy B.; Wilson, W. Dale; Cundy, Terrance W.;
 Heinemann, Ron; Saurbier, James A.; Schuster, Robert L. 1997. Assessment of the 1995 & 1996 floods and landslides on the Clearwater National Forest, Part I: Landslide assessment. A report to the Regional Forester. US Forest Service, Northern Region. Missoula, MT. 52p.
- McDaniel, P.A.; Fosberg, M.A.; Falen, A.L. 1993. Expression of andic and spodic properties in tephra-influenced soils of northern Idaho, USA. Geoderma. 58: 79-94.
- McDonald, Eric V.; Busacca, Alan J. 1992. Late Quaternary stratigraphy of loess in the Channeled Scabland and Palouse regions of Washington State. Quaternary Research. 38:141-156.
- McLean. 1972. Movements and migrations of the Lochsa elk herd.
- McNab, Henry W.; Avers, Peter E., comps. 1994. Ecological subregions of the United States: Section descriptions. Admin. Publ. WO-WSA-5. U.S. Department of Agriculture, Forest Service, Washington, D.C. 267p.
- Meade, Robert H. 1982. Sources, sinks, and storage of river sediment in the Atlantic drainage of the United States. The Journal of Geology. 90(3): 235-252.
- Means, J.E.; Cissel, J.H.; Swanson, F.J. 1996. Fire history and landscape restoration in Douglas-fir ecosystems of western Oregon. In: Hardy, Colin C. Arno, Stephen F., eds. The use of fire in forest restoration. Gen. Tech. Rep. INT-341. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT: 61-67.
- Megahan, Walter F.; King, John G.; Seyedbagheri, Kathleen A. 1995. Hydrologic and erosional responses of a granitic watershed to helicopter logging and broadcast burning. Forest Science. 41(4): 777-795.
- Megahan, Walter F. 1999. Scale Considerations and the Detectability of Sedimentary Cumulative Effects. Technical Bulletin No. 776. National Council For Air and Stream Improvement. Research Triangle Park, North Carolina.
- Meyer, Grant A.; Wells, Stephen G. 1997. Fire-related sedimentation events on alluvial fans, Yellowstone National Park, U.S.A. Journal of Sedimentary Research. 67(5): 776-791.
- Meyer, Grant A.; Wells, Stephen G.; Balling Jr., Robert C. 1992. Response of alluvial systems to fire and climate change in Yellowstone National Park. Nature. 357: 147-150.
- Meyer, Grant A.; Wells, Stephen G.; Jull, A.J. Timothy. 1995. Fire and alluvial chronology in Yellowstone National Park: Climatic and intrinsic controls on Holocene geomorphic processes. Geological Society of America Bulletin. 107(10): 1211-1230.

- Mital, James Michael. 1982. Distribution and impact of jack pine stem rusts in Minnesota. M.S. Thesis. University of Minnesota, St. Paul. 83p.
- Mital, James Michael. 1995. Relating soil, vegetation, and site characteristics to Douglas-fir response to nitrogen fertilization in the Inland Northwest. Ph.D. Dissertation. University of Idaho, Moscow. 136p.
- Mitchell, Victoria E. 1996. Geology of the Clearwater National Forest. Report and digital GIS layer prepared for the U.S. Forest Service under Contract No. FS-01-05-95-5. Idaho Geological Survey, Moscow, ID. 42p.
- Monnig, E. 1988. Human health risk assessment for herbicide applications to control noxious weeds and poisonous plants in the northern region. FPM Report 88-9. USDA Forest Service. Missoula, Montana.
- Monnig, G.; Byler, J. 1992. Forest health and ecosystem integrity in the Northern Rockies. FPM Rep. 92-7. U.S. Department of Agriculture, Forest Service, Northern Region. 7p.
- Monsanto Chemical Company 1989. Surfacant Toxicity Studies.
- Montana Bald Eagle Working Group (MBEWG) 1991. Habitat Management Guide for Bald Eagles in Northwestern Montana.
- Montgomery, David R.; Dietrich, William E. 1994. A physically based model for the topographic control on shallow landsliding. Water Resources Research. 30(4):1153-1171.
- Montgomery, David R.; Wright, Robert H.; Booth, Thom. 1991. Debris flow hazard mitigation for colluvium-filled swales. Bulletin of the Association of Engineering Geologists. 23(3): 303-323.
- Moore, K.M.S., and S.V. Gregory. 1988. Summer habitat utilization and ecology of cutthroat trout fry in Cascade Mountain Streams. Canadian Journal of Fisheries and Aquatic Sciences 45:1921-1930.
- Morrison, Peter H.; Swanson, Frederick J. 1990. Fire history and pattern in a Cascade Range landscape. Gen. Tech. Rep. PNW-GTR-254. U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station, Portland, OR. 77p.
- Mousseaux, M. 1995. Unpublished document, TES Plant Habitat queries by guild.
- Mousseaux. 1998. Letter to Forest Supervisor discussing management of Ute ladies'-tresses and its habitat within the Idaho Panhandle National Forests (IPNF) from Mark Mousseaux, IPNF Botanist. March 6, 1998.
- Mullison, W.R. 1985. A Toxicological and Environmental Review of Picloram in 38th Annual Meeting of the Western Society of Weed Science. Phoenix, Arizona.
- Munger, Thornton T. 1911. Avalanches and forest cover in the northern Cascades. Circ. 173. U.S. Department of Agriculture, Forest Service, Washington, D.C. 12p.
- National Weather Service. 1998. La Niña. In: Fox, Robin, ed. Weather Watcher.

- National Weather Service, Spokane, WA. 8(4): 5.
- Neihoff, Jerry. 1997. Message to Idaho Panhandle National Forest employees regarding the possible carcinogenicity of spotted knapweed sap.
- Neilson, Ronald P. 1995. A model for predicting continental-scale vegetation distribution and water balance. Ecological Applications. 5(2): 362-385.
- Norris L.A., H.W. Lorz and S.V Gregory 1991. Forest Chemicals In: William R. Meehan, Ed. Influences of Forests and Management on Salmonoid Fishes and their habits American Fisheries Society special publication. Pgs. 207-297.
- Paige, C. 1995. Neotropical Migrant Birds, unpublished document.
- Patten, Rick 1989. WATBAL: Watershed Response Model for Forest Management. Clearwater National Forest. Orofino, Idaho.
- Patten, Rick 1989. Email communication to Kristine Lee. Clearwater National Forest.
- Patten, Rick. 2000. Email communication to Jed Simon. Clearwater National Forest.
- Pederson and Binkley. Unknown date. Guidelines for selecting live or dead standing tree wildlife habitat.
- Planty-Tabacchi, Anne-Marie. 1996. Invasibility of species rich communities in riparian zones. Conservation Biology 10:2:598-607.
- Pole, Michael Walter. 1977. Plant indicators of slope instability. M.S. Thesis. Washington State University, Pullman. 70p.
- Potlatch Corporation and USDA Forest Service. Unknown date. Poster: WANTED Alive and active accurate locations active goshaws nests.
- Powers, Howard A.; Wilcox, Ray E. 1964. Volcanic ash from Mount Mazama (Crater Lake) and from Glacier Peak. Science. 144: 1334-1336.
- Pyne, Stephen, J. 1997. Fire in America: A cultural history of wildland and rural fire. University of Washington Press, Seattle. 654p.
- Quigley, Thomas M., Richard W. Haynes and Russell T. Graham, tech. eds. 1996.
 Integrated Scientific Assessment for Ecosystem Management in the Interior
 Columbia Basin and Portions of the Klamath and Great Basins. Gen. Tech.
 Report PNW-GTR-382. Portland, OR.:USDA Forest Service, Pacific Northwest
 Research Station. pp. 111-120.
- Quigley, Thomas M. and Sylvia J. Arbelbide, tech. eds. 1997. An Assessment of Ecosystem Components in the Interior Columbia Basin and Portions of the Klamath and Great Basins. Gen. Tech. Report PNW-GTR-405. Portland, Oregon.: USDA Forest Service, Pacific Northwest Research Station. Volume II, pp. 602-610 and 783-795.
- Ralphs, M.H., T.D. Whitson and D.N. Ueckert. 1991. Herbicide Control of Poisonous Plants. Rangelands 13:73-77.
- Redmond, Kelly T.; Koch, Roy W. 1991. Surface climate and streamflow variability in

- the western United States and their relationship to large-scale circulation indices. Water Resources Research. 27(9): 2381-2399.
- Rees, N.E. et al, editors. 1996. Biological Control of Weeds in the West. Western Society of Weed Science. Bozeman, Montana.
- Reneau, Steven L.; Dietrich, William E. 1987. The importance of hollows in debris flow studies: Examples from Marin County, California. In: Costa, John E.; Wieczorek, Gerald F., eds. Debris flows/avalanches: Process, recognition, and mitigation. Geological Society of America Reviews in Engineering Geology. 7: 165-180.
- Reynolds, R.T,., R.A Ryder and B.D Linkhart. 1989. Small Forest Owls in Proceedings of the Western Raptor Management Symposium and Workshop. National Wildlife Federation Scientific and Technical Series No. 12.
- Rice, P.M and Rider, J. Landscape Ecology "Noxious Weeds Invasion Analysis", Final Report 43-OE00-5-5264. University of Montana.
- Rice, Peter M. 1990. A risk assessment method to reduce picloram contamination of streams and groundwater from weed spraying projects. Division of Biological Science, University of Montana. Missoula, Montana.
- Rice, P.M. et. al. 1992. Plant community diversity after herbicide control of spotted knapweed. USDA Forest Service. Intermountain Research Station. Ogden, Utah.
- Rice, P.M. 1995. "The Regional Geography and History of Weed Invasions", Lecture 12/7/95, Division of Biological Sciences, University of Montana.
- Rice, Peter and Chris Toney 1997. Susceptibility of Northern Region Habitat Types to Invasion by Five Noxious Weed Species First Approximations. U.S. Forest Service Northern Region. Missoula, Montana. Unpublished.
- Rieman, B.E., and K. Apperson. 1989. Status and analysis of salmonid fisheries, westslope cutthroat trout and analysis of fisheries information. Idaho Deptartment of Fish and Game. Boise, Idaho. pp 1-18.
- Roche, C.T., and B.F. Roche. 1991. Meadow knapweed invasion in the Pacific Northwest, U.S.A., and British Columbia, Canada. Northwest Science 65:53-61.
- Rodbell, Donald T.; Newman, Jeremy H; Seltzer, Geoffrey O.; Abbott, Mark B. 1998. A continuous record of Holocene ENSO events preserved in a laminated lacustrine sediment core from southern Equador. Geological Society of America Abstracts with Programs. 30(7): A-115.
- Ross, S.H. and Savage, C.N. 1967. Idaho Earth Science, Idaho Bureau of Mines and Geology. pp. 197-8.
- Rothermel, Richard C. 1991. Predicting behavior of the 1988 Yellowstone fires: Projections versus reality. International Journal of Wildland Fire. 1(1): 1-10.
- Ruediger, et al. 2000. Canada lynx conservation assessment and strategy, 2nd Edition.
- Ruggeiro, L.F et. al. tech. eds. 1994. The Scientific Basis for Conserving Forest

- Carnivores: American Marten, Fisher, Lynx, and Wolverine in the Western United States. Gen. Tech. Rep. RM-254. Ft. Collins CO:USDA, Forest Service, Rocky Mountain Forest and Range Experiment Station, 184p.
- Ruggerio, et al. 1999. Ecology and conservation of lynx in the United States.
- Sartz, Richard S. 1953. Soil erosion on a fire-denuded forest area in the Douglas-fir region. Journal of Soil and Water Conservation. 8: 279-281.
- Schoen, Dave. 2000. WATBAL draft mitigation. Clearwater National Forest.
- Scott, Thomas G., Helen C. Schultz and Paul H. Eschmeyer. 1978. Fisheries and Wildlife Research 1977. Stock # 024-010-00477-1. United States Fish and Wildlife Service. U.S. Government Printing Office. Denver, Colorado.
- Servheen, G. 1997. Interagency guidelines for evaluating and managing elk habitats and populations in centrail Idaho.
- Sexton, William T. 1986. Selected forest soil-parent material relationships in the Clearwater and Nez Perce National Forests. Ph.D. Dissertation. University of Idaho, Moscow. 86p.
- Shelly, J.S. 1994. Conservation Strategy Howellia aquatilis. Flathead National Forest, Northern Region.
- Sidle, R.C. 1985. Factors influencing the stability of slopes. In: Swanston, Doug, ed. Proceedings of a workshop on slope stability: Problems and solutions in forest management. February 6-8, 1984, Seattle, Washington. Gen. Tech. Rep. PNW-180. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR: 17-25.
- Simon, Jed. 2000. WATBAL Accuracy and the 1993 Forest Plan Lawsuit.
- Simon, Jed. 2001. WEPP Model Output Comparison to Forest Plan Standards. Unpublished. Clearwater National Forest.
- Smith, Karen. 2000. Bear Camp Fire Rehabilitation Plan.
- Spoon, C.W., H.R Bowles and A. Kulla. 1983 "Noxious Weeds on the Lolo National Forest. A situation analysis paper". USDA, Forest Service, Northern Region.
- State of Idaho. 1994. Administrative Rules of the Idaho Department of Health and Welfare, Water Quality and Wastewater Treatment. IDAPA 16, Title 01, Chapter 02.
- Steele, Robert; Arno, Stephen F; Geier-Hayes, Kathleen. 1986. Wildfire patterns change in central Idaho's ponderosa pine-Douglas-fir Forest. Western Journal of Applied Forestry. 1: 16-18.
- Stewart, Cathy. 1996. Restoring historic landscape patterns through management: Restoring fire mosaics on the landscape. In: Hardy, Colin C. Arno, Stephen F., eds. The use of fire in forest restoration. Gen. Tech. Rep. INT-341. U.S. Department of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT: 49-50.

- Strobel, G.A. 1991. Biological control of weeds. Scientific American 265:72-78.
- Swanson, F.J. 1981. Fire and geomorphic processes. In: Mooney, H.A.; Bonnicksen, T.M.; Christensen, N.L.; Lotan, J.E.; Reiners, W.A. eds. Fire regimes and ecosystem properties. Gen. Tech. Rep. WO-26. U.S. Department of Agriculture, Forest Service, Washington, D.C.: 401-420.
- Swanson, F.J.; Dyrness, C.T. 1975. Impact of clear-cutting and road construction on soil erosion by landslides in the western Cascade Range, Oregon. Geology. 3:393-396.
- Swanson, Frederick J.; Lienkaemper, George W. 1978. Physical consequences of large organic debris in Pacific Northwest streams. Gen. Tech. Rep. PNW-69. U.S. Department of Agricul-ture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR. 12p.
- Swanston, Douglas N.; Swanson, Frederick J. 1976. Timber harvesting, mass erosion, and steepland forest geology in the Pacific Northwest. In: Coates, Donald R., ed. Geomorphology and engineering. Dowden, Hutchinson, and Ross, Inc., Stroudsburg, PA. Chapter 10.
- Swift, Lloyd W. and James B. Messer. 1971. Forest cuttings raise temperatures of small streams in the southern Appalachians. Journal of Soil and Water Conservation. 26(3):111-116.
- Thomas, Byron R. 1985. Uses of soils, vegetation, and geomorphic information for road location and timber management in the Oregon Coast Ranges. In: Swanston, Doug, ed. Proceedings of a workshop on slope stability: Problems and solutions in forest management. February 6-8, 1984, Seattle, Washington. Gen. Tech. Rep. PNW-180. U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, OR: 68-77.
- Tinker, Daniel B.; Knight, Dennis H. 1998. Fire and the dynamics of coarse woody debris in Yellowstone National Park. Yellowstone Science. 6(2): 53.
- Tucker, P.A., D.L Davis, and R.R Ream. 1990. Wolves: Identification, Documentation, Population Monitoring and Conservation Considerations. Northern Rockies Natural Resource Center of the National Wildlife Federation, Missoula, Mt.
- Turner, A. Keith. 1996. Colluvium and talus. In: Turner, A.Keith; Schuster, Robert L., eds. Landslides investigation and mitigation. Transportation Research Board, National Research Council, Special Report 247. National Academy Press, Washington, D.C. 673p.
- Tyser, R.W. and C.H. Key. 1988. Spotted knapweed in natural area fescue grasslands: an ecological assessment. Northwest Science 62(4):151-159.
- USDA. 1983. Forest Chemicals: Influence of Forest and Rangeland Management on Anadromous Fish Habitat in Western North America. L.A. Norris, H.W. Lorz and S.V. Gregory eds. General Technical Report PNW-149. Pacific Northwest Forest and Range Experiment Station, U.S. Forest Service, Portland, Oregon.

- USDA. 1984. Pesticide Background Statements. Vol. 1 Herbicides. Forest Service. Agricultural Handbook No. 633. Washington, DC.
- USDA. 1987. Forest Plan. Forest Service, Clearwater National Forest, Orofino, Idaho.
- USDA. 1987. Idaho Panhandle National Forests Forest Plan. Final Environmental Impact Statement. Idaho Panhandle National Forests Supervisor's Office, Coeur d'Alene, Idaho. Available at St. Joe Ranger District office.
- USDA. 1988. Forest Service Handbook FSH 2509.22 Soil and Water Conservation Practices Handbook. Forest Service.
- USDA. 1989. Idaho Panhandle National Forest Weed Pest Management. Final Environmental Impact Statement. Idaho Panhandle National Forests Supervisor's Office. Coeur d'Alene, Idaho. Available at St. Joe Ranger District office.
- USDA. 1989. Caring for our natural community: Region 1 Threatened, Endangeredand Sensitive Species Program. USDA Forest Service, Northern Region. Available at St. Joe Ranger District Office.
- USDA. 1990. Old Growth Habitat and Associated Wildlife Species in the Northern Rocky Mountains, Northern Region Wildlife Habitat Relationships Program.
- USDA. 1992. Interim management recommendations: sensitive species. U.S. Department of Agriculture, Northern Region. March, 1992.
- USDA. 1992. Risk assessment for herbicide use in Forest Service Regions 1, 2, 3, 4, and 10 and on Bonneville Power Administration sites. Forest Service; Regions 1, 2, 3, 4, and 10; and Bonneville Power Administration.
- USDA. 1992. Wolverine (*Gulo*, *gulo*) biology and management; a literature review and annotated bibliography by Thomas W. Butts. Forest Service, Northern Region.
- USDA. 1993. National hierarchical framework of ecological units. Forest Service, ECOMAP, Washington, D.C. 28p.
- USDA. 1993. Final EIS Noxious Weed Management Projects, Flathead National Forest. Spotted Bear and Hungry Horse Ranger Districts.
- USDA. 1995. Reserve trees guide. Forest Service.
- USDA. 1995. Interim strategies for managing fish-producing watersheds in Eastern Oregon and Washington, Idaho, Western Montana and portions of Nevada. (INFISH). Forest Service; Intermountain, Northern, and Pacific Northwest Regions.
- USDA. 1995. Final Environmental Impact Statement: Noxious Weeds Management Projects. Bonners Ferry Ranger District, Idaho Panhandle National Forests. Bonners Ferry, Idaho. Available at St. Joe Ranger District office.
- USDA. 1996. Biological control of weeds in the west. Agricultural Research Service, Western Society of Weeds Science, Montana Department of Agriculture, Montana State University.

- USDA. 1997. 1996 terrestrial protocols. Forest Service, Northern Region. March, 1997.
- USDA. 1997. Final Environmental Impact Statement: Priest Lake Noxious Weed Control Project. Priest Lake Ranger District, Idaho Panhandle National Forests. Priest Lake, Idaho. Available at St. Joe Ranger District office.
- USDA. 1998. R1 habitat models. Forest Service, Northern Region on the FS Web. February, 1998.
- USDA. 1998. Final Environmental Impact Statement: Sandpoint Ranger District Noxious Weed Control Project. Sandpoint Ranger District, Idaho Panhandle National Forests. Sandpoint, Idaho. Available at St. Joe Ranger District office.
- USDA. 1999. R1/R4 Viability Strategy. Forest Service. April. 1999.
- USDA. 2000. LTA groups for the Clearwater National Forest. Forest Service, Clearwater National Forest. November 15, 2000.
- USDA. 2000. Northern region snag management protocol. Northern Region. January, 2000.
- USDA. 2001. Site identification strategy for the clearwater and nez perce national forests. Forest Service, Clearwater National Forest. Orofino, Idaho.
- USDA. Various dates. Forest Service, Clearwater National Forest. Stream surveys.
- USDI. 1987. Northern Rocky Mountain wolf recovery plan, Denver, Co. Fish and Wildlife Service.
- USDI. 1993. Grizzly bear recovery plan. Fish and Wildlife Service.
- USDI. 1997. General management plan, nez perce national historical park and big hole national battlefield. National Park Service, Nez Perce National Historic Park. Spalding, Idaho.
- USDI. 1999. Bi-annual Forest- and District-wide species list, Endangered, Threatened, Candidate and Species of Concern within the Idaho Panhandle National Forests. SP# 1-9-99-SP-158 March 10, 1999. Spokane, Washington.
- USDI. 1999. Biological Opinion for effects of ongoing and proposed actions in the St. Joe and North Fork of the Clearwater River Watersheds on Bull Trout. March 31,1991. Spokane, Washington.
- USDI. 2001. Bi-annual Forest-wide species list. Fish and Wildlife Service. June 01, 2001.
- U.S. Environmental Protection Agency. 1986. Quality criteria for water (the Gold Book) EPA 440/5-86-001. Office of Water Regulations and Standards. Washington, D.C.
- U.S Environmental Protection Agency. 1986. Ecological Risk Assessment . EPA-540/5-86-001. Office of Pesticide Programs. Washington DC 20460.
- U.S Environmental Protection Agency. 1994. A S.A.B. Report: Assessment of the

- potential 2,4-D carcinogenicity. EPA-SAB-EHC-94-005. EPA Science Advisory Board. Washington, D.C.
- USGS. 1999a. Historical streamflow data for Selway and North Fork Clearwater Rivers. Available from: http://waterdata.usgs.gov/nwis-w/ID/.
- USGS. 1999b. Magnitude and frequency of instantaneous peak flow at gaging stations in Idaho. Available from: http://idaho.usgs.gov/swdata/flood.freq.report.html.
- Vallentine, J.F. 1989. Range Development and Improvements. Academic Press Inc. San Diego, California. 524 pages.
- Warren. 1990. Old growth habitats and associated wildlife species in the northern Rocky Mountains.
- Watson, V.J., P.M. Rice and E.C. Monnig. 1989. Environmental fate of pic loram used for roadside weed control. Journal of Environmental Quality 18:198-205.
- Watts, Donald W. 1998. A View to the Future: A comprehensive historic preservation plan for idaho. Idaho State Historical Society, State Historic Preservation Office. Boise, Idaho.
- Weaver, Harold. 1943. Fire as an ecological and silvicultural factor in the ponderosapine region of the Pacific slope. Journal of Forestry. 41: 7-14.
- Weaver, William; Hagans, Danny K. 1996. Aerial reconnaissance evaluation of 1996 storm effects on upland mountainous watersheds of Oregon and southern Washington: Wildland response to the February 1996 storm and flood in the Oregon and Washington Cascades and Oregon Coast Range Mountains. Report prepared for the Pacific Rivers Council by Pacific Watershed Associates, Arcata, CA. 22p.
- Wells, Steve G.; White, William D. 1978. Fire-fire devegetation and hillslope erosion in small mountainous watersheds. Abstracts with Programs, The Geological Society of America. 10(7): 513-514.
- Whitson, T.D. et al. 1992. Weeds of the West. The Western Society of Weed Science. Newark, California. 630 pages.
- Willard, E.E. et. al. 1988. Impacts and potential impacts of spotted knapweed (*Centaurea maculosa*) on forest and range lands in western Montana. Montana Forest and Conservation Experiment Station. School of Forestry, University of Montana. Missoula, Montana.
- William, Ray et al., compilers. 1997. Pacific Northwest Weed Control Handbook. Oregon State University. Corvallis, Oregon.
- Wilson, Dale; Patten, Rick; Megahan, Walt. 1982. A systematic watershed analysis procedure for the Clearwater National Forest--An update. Presentation at the annual meeting of the Transportation Research Board, Washington, D.C., January 1982. 46p.
- Wilson, Dale; Coyner, Jack; Deckert, Thomas. 1983. Land system inventory: First

- review draft, Clearwater National Forest. U.S. Department of Agriculture, Forest Service, Clearwater National Forest, Orofino, ID. 399p.
- Wilson, Dale. 1983. Land System Inventory. Clearwater National Forest.
- Wischmeier, Walter H.; Smith, Dwight D. 1965. Rainfall-erosion losses from cropland east of the Rocky Mountains: Guide for selection of practices for soil and water conservation. Agric. Handb. No. 282. U.S. Department of Agriculture, Agricultural Research Service, Washington, D.C. 47p.
- Wisdom, et al. 2000. Source habitats for terrestrial vertebrates of focus in the interior Columbia Basin: broad-scale trends and management implications.
- Wolfe, Mitchell D.; Williams, John W. 1986. Rates of landsliding as impacted by timber management activities in northwestern California. Bulletin of the Association of Engineering Geologists. 23(1): 53-60.
- Woodward, D.F. 1976. Toxicity of the herbicides dinoseb and picloram to cutthroat (*Salmo clarkii*) and lake trout (*Salvelinus hamaycush*). J. Fish. Res. Can. 33:1671-1676.
- Woodward, D.F. 1979. Assessing the hazard of picloram to cutthroat trout. Journal of Range Management. 32:230-232.
- Wu, Tien H.; Swanston, Douglas N. 1980. Risk of landslides in shallow soils and its relation to clearcutting in southeastern Alaska. Forest Science. 26: 495-510.
- Ziemer, R.R.; Swanston, D.N. 1977. Root strength changes after logging in southeast Alaska. Re. Note PNW-306. U.S. Department of Agriculture, Forest Service, Portland, OR. 10p.
- Ziller, Wolf G. 1974. The tree rusts of western Canada. Publ. No. 1329. Department of the Environment, Canadian Forestry Service, Pacific Forest Research Centre, Victoria, BC. 272p.